

TOYOTA PROACE CITY VERSO

Quick Links



BODY	ENGINE	Gearbox	CO ₂ - emissions (g/km)	Fuel consumption combined	GRADE	PRICE (EUR+VAT) euro	Custom3 Custom3
Long Double side door	1.5 D-4D M/T (FWD) (75 kW)	M/T	143	5.4	Shuttle	26 800	
Long Double side door	1.5 D-4D M/T (FWD) (96 kW)	6 M/T			Shuttle	27 850	
Long Double side door	1.5 D-4D M/T (FWD) (96 kW)	6 M/T			Family	32 350	
Long Double side door	1.2 Turbo M/T (FWD) (81 kW)	6 M/T	147	6.5	Shuttle	24 550	
Long Double side door	1.5 D-4D A/T (FWD) (96 kW)	A/T	148	5.6	Shuttle	29 550	
Long Double side door	1.5 D-4D A/T (FWD) (96 kW)	A/T	151	5.7	Family	33 700	
Long Double side door	1.5 D-4D A/T (FWD) (96 kW)	A/T			Business	38 800	
Compact Double side door	1.5 D-4D M/T (FWD) (75 kW)	M/T	141	5.4	Shuttle	25 900	
Compact Double side door	1.5 D-4D M/T (FWD) (75 kW)	M/T			Shuttle N1	26 100	
Compact Double side door	1.5 D-4D M/T (FWD) (96 kW)	6 M/T			Shuttle	26 950	
Compact Double side door	1.5 D-4D M/T (FWD) (96 kW)	6 M/T			Family	31 450	
Compact Double side door	1.2 Turbo M/T (FWD) (81 kW)	6 M/T	146	6.5	Shuttle	23 700	
Compact Double side door	1.5 D-4D A/T (FWD) (96 kW)	A/T	147	5.6	Shuttle	28 650	
Compact Double side door	1.5 D-4D A/T (FWD) (96 kW)	A/T			Shuttle N1	28 900	
Compact Double side door	1.5 D-4D A/T (FWD) (96 kW)	A/T	149	5.7	Family	32 850	

TOYOTA PROACE CITY VERSO

Quick Links



BODY	ENGINE	Gearbox	CO ₂ - emissions (g/km)	Fuel consumption combined	GRADE	PRICE (EUR+VAT) euro	Custom3 Custom3
Compact Double side door	1.5 D-4D A/T (FWD) (96 kW)	A/T			Family N1	33 050	
Compact Double side door	1.5 D-4D A/T (FWD) (96 kW)	A/T			Business	39 100	

TOYOTA PROACE CITY VERSO

Technical Specification



ENGINE & GEARBOX	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)
Tippkiirus (km/h)	172	-	174	184	172	-
KESKKONNAANDMED	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)
Kütusekulu - kombineeritud min. WLTP (l/100 km)	5.4	-	6.5	5.6	5.4	-
CO ₂ - kombineeritud min. WLTP (g/km)	143	-	147	148	141	-
Müratase sõidu ajal (dB(A))	68.0	-	69.0	69.0	68.0	-
Müratase seistes (dB(A))	74.0	-	76.0	74.0	74.0	-
ENGINE	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)
Silindrite arv	4 CYLINDER, IN LINE	4 CYLINDER, IN LINE	3 CYLINDER, IN LINE	4 CYLINDER, IN LINE	4 CYLINDER, IN LINE	4 CYLINDER, IN LINE
Kütuse sissepritse süsteem	Common rail diesel direct injection	-	Fuel injection	Common rail diesel direct injection	Common rail diesel direct injection	-
Töömaht (cm ³)	1499	1499	1199	1499	1499	1499
Suurim pöördemoment (nm/p/min)	250/1750-	-	205/1750-	300/1750-	250/1750-	-
Sisepõlemismootori suurim võimsus (DIN hj@)	102	-	110	-	102	-
Maximum power (hp)	102	-	110	130	102	-

TOYOTA PROACE CITY VERSO

Technical Specification



ENGINE	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)
Maximum power (kW)	75	-	81	96	75	-
JÕUÜLEKANNE	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)
Ülekande tüüp	Manual	Manual	Manual	Automatic	Manual	Manual
Käiku	-	-	6	8	-	-
JÕUDLUS	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)
Kiirendus, 0-100 km/h (sekundit)	-	-	11.8	11.2	-	-
VEDRUSTUS	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)
Esivedrustus	MacPherson strut	MacPherson strut *	MacPherson strut	MacPherson strut	MacPherson strut	MacPherson strut
Tagavedrustus	Deformable crossbeam	Deformable crossbeam *	Deformable crossbeam	Deformable crossbeam	Deformable crossbeam	Deformable crossbeam

TOYOTA PROACE CITY VERSO



Technical Specification

PIDURID	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)
Pidurid, ees	Ventilated Disc	Ventilated Disc *	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Pidurid, taga	Ketaspidurid	Ketaspidurid *	Ketaspidurid	Ketaspidurid	Ketaspidurid	Ketaspidurid
REHVID JA VELJED	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)
Madalaim kütusesäästlikkuse klass	A	A *	A	A	A	A
Madalaim märghaardumise klass	A	A *	A	A	A	A
Madalaim veeremismüra tase	68	68 *	68	68	68	68
WEIGHTS	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)
Täismass, kokku (kg)	2140	-	2070	2150	2120	-
Tühimass (kg)	1521-1698	-	1430-1597	1520-1696	1430-1660	-
Piduritega järelhaagise suurim lubatud mass (kg)	1250	-	1100	1250	1300	-
Ilma piduriteta järelhaagise suurim lubatud mass (kg)	750	-	750	750	750	-

TOYOTA PROACE CITY VERSO

Technical Specification



SISEMÕÖTMED	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)
Istmete arv	5	5*	5	5	5	5
DIMENSIONS	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)	1.5 D-4D M/T (FWD) (75 KW)	1.5 D-4D M/T (FWD) (96 KW)
Laius (mm)	1848	1848 *	1848	1848	1848	1848
Pikkus (mm)	4753	-	4753	4753	4403	-
Kõrgus (mm)	1880	1880 *	1880	1880	1880	1880
Teljevahe (mm)	2975	-	2975	2975	2785	-

TOYOTA PROACE CITY VERSO

Technical Specification



ENGINE & GEARBOX	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)
Tippkiirus (km/h)	174	184
KESKKONNAANDMED	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)
Kütusekulu - kombineeritud min. WLTP (l/100 km)	6.5	5.6
CO ₂ - kombineeritud min. WLTP (g/km)	146	147
Müratase sõidu ajal (dB(A))	69.0	69.0
Müratase seistes (dB(A))	76.0	74.0
ENGINE	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)
Silindrite arv	3 CYLINDER, IN LINE	4 CYLINDER, IN LINE
Kütuse sissepritse süsteem	Fuel injection	Common rail diesel direct injection
Töömaht (cm ³)	1199	1499
Suurim pöördemoment (nm/p/min)	205/1750-	300/1750-
Sisepõlemismootori suurim võimsus (DIN hj@)	110	-
Maximum power (hp)	110	130

TOYOTA PROACE CITY VERSO

Technical Specification



ENGINE	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)
Maximum power (kW)	81	96
JÕUÜLEKANNE	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)
Ülekande tüüp	Manual	Automatic
Käiku	6	8
JÕUDLUS	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)
Kiiendus, 0–100 km/h (sekundit)	11.5	11.0
VEDRUSTUS	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)
Esivedrustus	MacPherson strut	MacPherson strut
Tagavedrustus	Deformable crossbeam	Deformable crossbeam

TOYOTA PROACE CITY VERSO


Technical Specification



PIDURID	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)
Pidurid, ees	Ventilated Disc	Ventilated Disc
Pidurid, taga	Ketaspidurid	Ketaspidurid
REHVID JA VELJED	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)
Madalaim kütusesäästlikkuse klass	A	A
Madalaim märghaardumise klass	A	A
Madalaim veeremismüra tase	68	68
WEIGHTS	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)
Täismass, kokku (kg)	2050	2105
Tühimass (kg)	1366-1595	1430-1658
Piduritega järelhaagise suurim lubatud mass (kg)	1150	1300
Ilma piduriteta järelhaagise suurim lubatud mass (kg)	720	750
SISEMÕÖTMED	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)
Istmete arv	5	5

TOYOTA PROACE CITY VERSO

Technical Specification



DIMENSIONS	1.2 TURBO M/T (FWD) (81 KW)	1.5 D-4D A/T (FWD) (96 KW)
Laius (mm)	1848	1848
Pikkus (mm)	4403	4403
Kõrgus (mm)	1880	1880
Teljevahe (mm)	2785	2785

TOYOTA PROACE CITY VERSO

Grades



FACTORY OPTIONS		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
7 Seater	7S	990 €	990 €	990 €	-	-
Multimedia Pack	MU	830 €	830 €	830 €	830 €	830 €
RIEPAS UN DISKI		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
16-tollised hõbedased valuveljed (5 topeltkodaraga)	PZ4L0H0672ZH	1 038 €	1 038 €	1 038 €	-	-
17-tollised viie topeltkodaraga hõbedased valuveljed	PZ4L0H0673ZG	1 197 €	1 197 €	1 197 €	-	-
16-tolline talvevelg	PZ4L0H1690SB	438 €	438 €	438 €	-	-
COLORS		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Metallic Silver	KCA	650 €	650 €	650 €	650 €	650 €
Metallic black	KTV	650 €	650 €	650 €	650 €	650 €
Icy White	EPR	0 €	0 €	0 €	0 €	0 €
INTERIOR		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Grey fabric seats (F7FY)	F7FY	●	●	●	●	●
EXTERIOR		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Full size spare wheel		●	●	●	●	●
Double side door		●	●	●	●	●
Rear tailgate		●	●	●	●	●
Body colour front and rear bumpers		●	●	●	●	●
Black door mirrors		●	●	●	●	●
Body colour door handles		●	●	●	●	●
Body colour side protection molding with chrome garnish		●	●	●	●	●

TOYOTA PROACE CITY

VERSO

Grades



EXTERIOR		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Electrically adjustable door mirrors with heating		●	●	●	●	●
Front fog lamps		●	●	●	●	●
Heated rear window		●	●	●	●	●
Reinforced tyres		-	-	-	●	●
Opening window on rear tailgate		●	-	●	-	●
Privacy glass		●	-	●	-	●
Electrically foldable door mirrors		●	-	●	-	●
Roof rails		●	-	●	-	●
Toyota Skyview® panoramic sunroof (only with Compact body)		-	-	●	-	-
Windshield wiper de-icer		-	-	●	-	-
16" black wheels with wheel caps (205/60 R16)		-	●	-	●	-
16" alloy wheels (205/60 R16)		●	-	-	-	●
17" alloy wheels (205/55 R17)		-	-	●	-	-
INTERIOR		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Carpet floor cover		●	●	●	●	●
Textile floor mats		●	●	●	●	●
Front power windows		-	●	-	●	-
Row 2 tiltable windows		-	●	-	●	-
Row 3 fixed windows		●	●	●	●	●
4 lashing hooks in trunk area		●	●	●	●	●

TOYOTA PROACE CITY

VERSO

Grades



INTERIOR		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Chrome interior door handles		●	●	●	●	●
Urethane steering wheel		-	●	-	●	-
Roll tonneau cover (Only long)		●	●	●	-	-
Hard tonneau cover (Only Compact)		●	●	●	●	●
Grille bulkhead behind second row seats		-	-	-	●	●
Console between front seats		●	-	●	-	●
Electronic parking brake		●	-	●	-	●
Front power windows with one touch		●	-	●	-	●
Row 2 power windows with one touch		●	-	●	-	●
Electrochromatic rear-view mirror		●	-	●	-	●
Courtesy mirror with lamp		●	-	●	-	●
Leather steering wheel		●	-	●	-	●
Rear window sunshades		-	-	●	-	-
SEATS		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
5 seater		●	●	●	●	●
Fabric seats		●	●	●	●	●
Second row bench seats (60/40 fold)		-	●	-	●	-
Heated seats		●	●	●	●	●
Height adjustable driver seat		●	●	●	●	●
Driver seat lumbar support		●	●	●	●	●

TOYOTA PROACE CITY

VERSO

Grades



SEATS		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Driver seat arm rest		●	●	●	●	●
Second row individual seats		●	-	●	-	●
Folding front passenger seat		●	-	●	-	●
Flight tables at back of front seats		●	-	●	-	●
COMFORT		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Manual air conditioning		-	●	-	●	-
Rear parking sensors		●	●	●	●	●
Dusk sensor		●	●	●	●	●
Rain sensor (only with Automatic transmission)		-	●	-	●	-
Cruise Control		●	●	-	●	●
Automatic air conditioning		●	-	●	-	●
Front parking sensors		●	-	●	-	●
Rear-view camera		●	-	●	-	●
Rain sensor		●	-	●	-	●
Programmable Webasto fuel burning heater with remote (Only 130Hp Diesel)		-	-	●	-	-
230V plug at passenger feet		-	-	●	-	-
Adaptive Cruise Control		-	-	●	-	-
MULTIMEDIA & INFORMATION		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Radio		-	●	-	●	-
6 speakers		●	●	●	●	●

TOYOTA PROACE CITY

VERSO

Grades



MULTIMEDIA & INFORMATION		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Bluetooth		●	●	●	●	●
Digital Audio Broadcast (DAB)		●	●	●	●	●
USB connector		●	●	●	●	●
Radio switches behind steering wheel (only with Manual transmission)		-	●	-	●	-
Radio switches on steering wheel (only with Automatic transmission)		-	●	-	●	-
3,5" multi info display in colour		●	●	●	●	●
Pro Touch multimedia system with 8" display		●	-	●	-	●
Mobile integration (Android Auto)		●	-	-	-	●
Mobile integration (Apple CarPlay)		●	-	●	-	●
Radio switches on steering wheel		●	-	●	-	●
Navigation		-	-	●	-	-
Smart Entry & Push Start System		-	-	●	-	-
STORAGE COMPARTMENTS		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Driver and passenger overhead storage		●	●	●	●	●
Open lower glovebox		-	●	-	●	-
Closed passenger lower glovebox		●	-	●	-	●
Centre roof storage area (only with Compact body)		-	-	●	-	-
Roof storage compartment in luggage area (only with Compact body)		-	-	●	-	-
SAFETY		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Central locking		●	●	●	●	●

TOYOTA PROACE CITY

VERSO

Grades



SAFETY		FAMILY	SHUTTLE	BUSINESS	SHUTTLE N1	FAMILY N1
Child safety door lock		-	●	-	●	-
E-Call		●	●	●	●	●
Hill Assist Control (HAC)		●	●	●	●	●
Electronic Stability Control (ESC)		●	●	●	●	●
Tyre Pressure Warning System (TPWS)		●	●	●	●	●
2 Front airbags		●	●	●	●	●
Front Side airbags		●	●	●	●	●
Curtain airbags for first and second row seats		●	●	●	●	●
Row 2 ISOFIX on 3 seats		●	●	●	●	●
Power child safety door lock		●	-	●	-	●
Automatic High Beam (AHB)		●	-	●	-	●
Extended Road Sign Assist (RSA)		●	-	●	-	●
Blind Spot Monitor (BSM)		-	-	●	-	-
Smart Intelligent Parking Assist (SIPA)		-	-	●	-	-

- - Standard
- - Optional
- ◐ - Halfstandart

*Kampaņa beidzas 31.12.2022. Ieteicamās mazumtirdzniecības cenas. Cenrādī esošajai informācijai ir informatīvs raksturs un Toyota Baltic AS patur tiesības mainīt tā saturu bez iepriekšēja paziņojuma. Informācija par konkrētā modeļa pamat- un papildaprīkojumu, kā arī iespēju to pasūtīt ir pieejama oficiālajās Toyota pārstāvniecībās. Konkrēta pārdošanas piedāvājuma saņemšanai vērsieties oficiālā Toyota pārstāvniecībā. Šis cenrādis ir spēkā jaunajiem automobiļa pirkuma līgumiem, kas noslēgti šī cenrāža spēkā esamības laikā par automobili, kas ir piegādāts un reģistrēts 6 mēnešu laikā no pirkuma līguma noslēgšanas dienas. Toyota Baltic AS patur tiesības paaugstināt to automobiļa ieteicamās mazumtirdzniecības cenas, kas tiks reģistrēti vēlāk nekā 6 mēnešus no automobiļa pirkuma līguma noslēgšanas dienas, bet ne vairāk kā par 4,0 % salīdzinājumā ar šo cenrādi. Jebkurā gadījumā cena nedrīkst būt augstāka par reģistrācijas dienā spēkā esošo ieteicamo mazumtirdzniecības cenu. Piemēra kalkulāciju sastādīja Swedbank Līzings SIA. Ja nepieciešams, konsultējieties ar bankas darbinieku. Piedāvājums no Toyota Līzings: 2.49 % + 6 mēnešu EURIBOR likme juridiskām personām (Piemēram, cena EUR 19 250, pirmā iemaksa: 15 %, periods: 60 mēneši, atlikusī vērtība: 30%, nobraukums 100 000 km, komisija: 1,5 %.) Ikmēneša maksājums šajā gadījumā ir EUR 199,84. Piedāvājums ir indikatīvs un var mainīties pēc pieteikuma izvērtēšanas. 10 gadu hibrīda akumulatora garantija attiecas uz visiem jauniem Toyota hibrīdiem. Konkrēti nosacījumi pieejami toyota.lv Degvielas patēriņa vērtības ir mērītas kontrolētā vidē, izmantojot reprezentatīvu sērijveida modeli, saskaņā ar jaunās pasaules mēroga saskaņotās vieglo transportlīdzekļu testa procedūras (WLTP) Eiropas Regulu EK 2017/1151 ar grozījumiem. Plašāku informāciju par jauno WLTP testa procedūru skatiet vietnē <https://www.toyota.lv/world-oftoyota/feel/environment/worldwide-harmonized-light.json>